



A DIVISION OF DAKOTA FLUID POWER, INC.

## D SERIES SPIN-ON FILTER ELEMENTS



When your system demands the ultimate in fluid cleanliness, our D Series Spin-On Filter Elements are an important line of defense in maintaining fluid quality. These single-pass filter elements can help you save on costly component replacement and minimize equipment downtime. They are available in various micron and water removal sizes to fit your needs.

### Features:



- Max working pressure of 350 PSI
- Burst pressure of 800 PSI
- Thread size 1 3/4" - 12
- Operating temperature of -40F to 190F
- Compatible with all of the D series filtration products

### Benefits:

- Proprietary filter media design ensures superior dirt retention over other elements
- Internal O-ring gasket eliminates leakage
- Viton seals offer the widest chemical compatibility

# D SERIES SPIN-ON FILTER ELEMENTS

## Performance:



14.24 in

4.60 in

## Filter Elements:

Part Number	BETA Rating	Desired Cleanliness Level (ISO Code)
P1066	$\beta_{4(c)}=2000$	14/12/9 - 13/11/8
P1065	$\beta_{7(c)}=2000$	18/16/13 - 15/13/10
P1063	$\beta_{10(c)}=1000$	19/17/14 - 18/16/13
P1064	$\beta_{25(c)}=2000$	20/18/15 - 19/17/14
P1048WR	Water Removal	

All D Series elements measure 5" x 14".